BİROL ISITMA ve SOĞUTMA SİSTEMLERİ

Heating & Cooling Systems








BRISCOOL

www.briscool.com

BRISCOOL



ABOUT US

Our company, aims to provide the best service to our esteemed customers in HVAC Industry for more than 30 years,since 1986. All throughout Turkey, with 20 unique selling points more than 3,000 customers, we supply products, at our own production facilities or in cooperation with important manufacturers in the world We provide our products with al necessary certificates in the best possible way BRISCOOL

I P.E INSULATED COPPER TUBES



	COPPER DIAMETER	COPPER THICKNESS	INSULATION TYPE	INSULATION DIAMETER	LENGTH
POLYETHYLENE	1/4 (6,35mm)	0.70 mm	Polyethylene	9 /13 mm	50 m
	3/8 (9,52mm)	0.70 mm	Polyethylene	9 /13 mm	50 m
	1/2 (12,7mm)	0.70 mm	Polyethylene	9 /13 mm	50 m
	5/8 (15,88mm)	0.70 mm	Polyethylene	9 /13 mm	50 m
	3/4 (19,05mm)	0.70 mm	Polyethylene	9 /13 mm	50 m
	1/4 (6,35mm)	0.80 mm	Polyethylene	9 /13 mm	50 m
	3/8 (9,52mm)	0.80 mm	Polyethylene	9 /13 mm	50 m
	1/2 (12,7mm)	0.80 mm	Polyethylene	9 /13 mm	50 m
	5/8 (15,88mm)	1.00 mm	Polyethylene	9 /13 mm	50 m
	3/4 (19,05mm)	1.00 mm	Polyethylene	9 /13 mm	50 m

I P.E INSULATED COPPER TUBES



	COPPER DIAMETER	COPPER THICKNESS	INSULATION TYPE	INSULATION DIAMETER	LENGTH
POLYETHYLENE	1/4-3/8 (6,35-9,52 mm)	(0.70x0.70 mm)	Polyethylene	9 /13 mm	50 m
	1/4-1/2 (6,35-12,7 mm)	(0.70x0.70 mm)	Polyethylene	9 /13 mm	50 m
	1/4-5/8 (6,35-15,88 mm)	(0.70x0.70 mm)	Polyethylene	9 /13 mm	50 m
	3/8-5/8 (9,52-15,88mm)	(0.70x0.70 mm)	Polyethylene	9 /13 mm	50 m
	3/8-3/4 (9,52-19,05 mm)	(0.70x0.70 mm)	Polyethylene	9 /13 mm	50 m
	1/2-3/4 (12,7-19,05 mm)	(0.70x0.70 mm)	Polyethylene	9 /13 mm	50 m
	1/4-3/8 (6,35-9,52 mm)	(0.80x0.80 mm)	Polyethylene	9 /13 mm	50 m
	1/4-1/2 (6,35-12,7 mm)	(0.80x0.80 mm)	Polyethylene	9 /13 mm	50 m
	1/4-5/8 (6,35-15,88mm)	(0.80x1.00 mm)	Polyethylene	9 /13 mm	50 m
	3/8-5/8 (9,52-15,88mm)	(0.80x1.00 mm)	Polyethyletne	9 /13 mm	50 m
	3/8-3/4 (9,52-19,05mm)	(0.80x1.00 mm)	Polyethyletne	9 /13 mm	50 m
	1/2-3/4 (12,7-19,05mm)	(0.80x1.00 mm)	Polyethyletne	9 /13 mm	50 m

I RUBBER INSULATED COPPER TUBES





	COPPER DIAMETER	COPPER THICKNESS	INSULATION TYPE	INSULATION DIAMETER	LENGTH
RUBBER	1/4 (6,35mm)	0.70 mm	Rubber	9 /13 mm	50 m
	3/8 (9,52 mm)	0.70 mm	Rubber	9 /13 mm	50 m
	1/2 (12,7 mm)	0.70 mm	Rubber	9 /13 mm	50 m
	5/8 (15,88 mm)	0.70 mm	Rubber	9 /13 mm	50 m
	3/4 (19,05 mm)	0.70 mm	Rubber	9 /13 mm	50 m
	1/4 (6,35 mm)	0.80 mm	Rubber	9 /13 mm	50 m
	3/8 (9,52 mm)	0.80 mm	Rubber	9 /13 mm	50 m
	1/2 (12,7 mm)	0.80 mm	Rubber	9 /13 mm	50 m
	5/8 (15,88 mm)	1.00 mm	Rubber	9 /13 mm	50 m
	3/4 (19,05 mm)	1.00 mm	Rubber	9 /13 mm	50 m

I P.E BLACK INSULATED COPPER TUBES



	COPPER DIAMETER	COPPER THICKNESS	INSULATION TYPE	INSULATION DIAMETER	LENGTH
POLYETHYLENE	1/4 (6,35mm)	0.70 mm	Polyethylene	9 /13 mm	50 m
	3/8 (9,52mm)	0.70 mm	Polyethylene	9 /13 mm	50 m
	1/2 (12,7mm)	0.70 mm	Polyethylene	9 /13 mm	50 m
	5/8 (15,88mm)	0.70 mm	Polyethylene	9 /13 mm	50 m
	3/4 (19,05mm)	0.70 mm	Polyethylene	9 /13 mm	50 m
	1/4 (6,35mm)	0.80 mm	Polyethylene	9 /13 mm	50 m
	3/8 (9,52mm)	0.80 mm	Polyethylene	9 /13 mm	50 m
	1/2 (12,7mm)	0.80 mm	Polyethylene	9 /13 mm	50 m
	5/8 (15,88mm)	1.00 mm	Polyethylene	9 /13 mm	50 m
	3/4 (19,05mm)	1.00 mm	Polyethylene	9 /13 mm	50 m




	COPPER DIAMETER	COPPER THICKNESS	INSULATION TYPE	INSULATION DIAMETER	LENGTH
POLYETHYLENE	1/4-3/8 (6,35-9,52 mm)	(0.70x0.70 mm)	Polyethylene	9 /13 mm	50 m
	1/4-1/2 (6,35-12,7 mm)	(0.70x0.70 mm)	Polyethylene	9 /13 mm	50 m
	1/4-5/8 (6,35-15,88 mm)	(0.70x0.70 mm)	Polyethylene	9 /13 mm	50 m
	3/8-5/8 (9,52-15,88mm)	(0.70x0.70 mm)	Polyethylene	9 /13 mm	50 m
	3/8-3/4 (9,52-19,05 mm)	(0.70x0.70 mm)	Polyethylene	9 /13 mm	50 m
	1/2-3/4 (12,7-19,05 mm)	(0.70x0.70 mm)	Polyethylene	9 /13 mm	50 m
	1/4-3/8 (6,35-9,52 mm)	(0.80x0.80 mm)	Polyethylene	9 /13 mm	50 m
	1/4-1/2 (6,35-12,7 mm)	(0.80x0.80 mm)	Polyethylene	9 /13 mm	50 m
	1/4-5/8 (6,35-15,88mm)	(0.80x1.00 mm)	Polyethylene	9 /13 mm	50 m
	3/8-5/8 (9,52-15,88mm)	(0.80x1.00 mm)	Polyethylene	9 /13 mm	50 m
	3/8-3/4 (9,52-19,05mm)	(0.80x1.00 mm)	Polyethylene	9 /13 mm	50 m
	1/2-3/4 (12,7-19,05mm)	(0.80x1.00 mm)	Polyethylene	9 /13 mm	50 m



COPPER DIAMETER	COPPER THICKNESS	LENGTH
1/4 (6,35 mm)	0,68 mm	50 m
5/16 (7,49 mm)	0,68 mm	50 m
3/8 (9,52 mm)	0,68 mm	50 m
1/2 (12,7 mm)	0,68 mm	50 m
5/8 (15,88 mm)	0,70 mm	50 m
3/4 (19,05 mm)	0,70 mm	50 m



COPPER DIAMETER	COPPER THICKNESS	LENGTH
1/4 (6,35 mm)	0,80 mm	50 m
3/8 (9,52 mm)	0,80 mm	50 m
1/2 (12,7 mm)	0,80 mm	50 m
5/8 (15,88 mm)	1,00 mm	50 m
3/4 (19,05 mm)	1,00 mm	50 m



COPPER DIAMETER	COPPER THICKNESS	LENGTH
16 mm	1 mm	5 m
18 mm	1 mm	5 m
22 mm	0.80 mm / 1 mm / 1.2 mm	5 m
25 mm	1 mm	5 m
28 mm	1 mm / 1.2 mm	5 m
35 mm	1 mm / 1.2 mm / 1.5 mm	5 m
42 mm	1 mm / 1.5 mm	5 m
54 mm	1.5 mm	5 m

A/C BRACKET



SIZE / (mm)	TYPE	THICKNESS
400 x 400	WELDED	2.0 mm
400 x 400	SCREW	2.0 mm
500 x 500	WELDED	2.0 mm
500 x 500	SCREW	2.0 mm
600 x 600	WELDED	2.0 mm

BRANCH PIPES



MODEL	A	B	C
DS-22-1	12 mm/16 mm/19 mm	19 mm/12 mm/9 mm	19 mm/12 mm/9 mm
DS-108-1	16 mm/19 mm/22 mm	19 mm/16 mm/12 mm/9 mm	19 mm/16 mm/12 mm/9 mm
DS-371-1	25 mm/22 mm/32 mm	25 mm/22 mm/19 mm	25 mm/22 mm/19 mm
DS-540-1	28 mm/32 mm/38 mm	32 mm/28 mm/25 mm/19 mm	32 mm/28 mm/25 mm/19 mm

INSULATED COPPER TUBE MONTAGE KIT



COPPER DIAMETER	LENGTH
1/4 - 3/8	3m - 5m - 7m - 10m - 15m
1/4 - 1/2	3m - 5m - 7m - 10m - 15m
1/4 - 5/8	3m - 5m - 7m - 10m - 15m
3/8 - 5/8	3m - 5m - 7m - 10m - 15m
3/8 - 3/4	3m - 5m - 7m - 10m - 15m
1/2 - 3/4	3m - 5m - 7m - 10m - 15m

A/C DRAIN HOSE



SIZE	LENGTH
15,87 mm (5/8")	50 m (3.850 KG)

BRISCOOL

R134 A



R404 A



R410 A



R417 A



R407 A



R32



MODEL	NET WEIGHT(kg)
Briscool R - 134 A	3.4 kg / 13.6 kg
Briscool R - 404 A	9.8 kg / 10.9 kg
Briscool R - 407 C	11.3 kg
Briscool R - 410 A	9.8 kg / 11.3 kg
Briscool R - 417 A	5.6 kg / 11.3 kg
Briscool R - 32	3.2 kg

COPPER ELBOW-COUPLING-TEE-P TRAP



ELBOW	COUPLING	T/TEE	P/TRAP
1/4 (06 mm)	1/4 (06 mm)	1/4 (06 mm)	5/8 (16 mm)
5/16 (08 mm)	3/8 (10 mm)	3/8 (10 mm)	3/4 (18-19 mm)
3/8 (10 mm)	1/2 (12 mm)	1/2 (12 mm)	7/8 (22 mm)
1/2 (12 mm)	5/8 (16 mm)	5/8 (16 mm)	1-1/8 (28 mm)
5/8 (16 mm)	3/4 (18-19 mm)	3/4 (18-19 mm)	1-3/8 (35 mm)
3/4 (18-19 mm)	7/8 (22 mm)	7/8 (22 mm)	1-5/8 (42 mm)
7/8 (22 mm)	1-1/8 (28 mm)	1-1/8 (28 mm)	
1-1/8 (28 mm)	1-3/8 (35 mm)	1-3/8 (35 mm)	
1-3/8 (35 mm)	1-5/8 (42 mm)	1-5/8 (42 mm)	
1-5/8 (42 mm)	2-1/8 (54 mm)	2-1/8 (54 mm)	
2-1/8 (54 mm)			
7/8 (22 mm) 45°			
1-1/8 (28 mm) 45°			
1-3/8 (35 mm) 45°			

UNION / NUT



UNION	NUT
1/4 (06 mm)	1/4 (06 mm)
5/16 (08 mm)	5/16 (08 mm)
3/8 (10 mm)	3/8 (10 mm)
1/2 (12 mm)	1/2 (12 mm)
5/8 (16 mm)	5/8 (16 mm)
3/4 (18-19 mm)	3/4 (18-19 mm)
1/4 - 3/8	
1/2 - 3/8	
1/2 - 5/8	

BRISCOOL

www.briscool.com

GENEL Merkez / General office
Toros mh. Ahmet Sapmaz Bulvarı Bora Plaza Altı
No:41/2-A Çukurova/ADANA
Tel: 0.322.224 39 56 - 0.322.224 39 66 (Pbx)
GSM: 0.549.669 80 00
E-Posta : info@briscool.com.tr

FABRİKA / FACTORY :
Acıdere OSB Mah. Cumhuriyet Blv. NO:6A
Sarıçam/ADANA

Tel: 0-322-502-22-35

EGYPTIAN DISTRIBUTOR / BRANCH
TECHNOTRADE INTERNATIONAL CO.
Address : Alexandria / Sheikh Zayed
Tel : 034278594
Email : Sales@technotrade-in.com
Website : www.technotrade-in.com

CERTIFICATE























